

Version 1.3 Revision Date 10/16/2018 Print Date 0				
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION				
Material name	: G00737 MST ANTI-SEIZE COMP	OUND_12CS 8OZ		

Material name	:	G00737 MST ANTI-SEIZE COMPOUND_12CS 802
Material number	:	0000000001003267
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

# Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

# Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

## SECTION 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

Appearance	gel
Colour	silver, metallic
Odour	oily

## **GHS** Classification

Eye irritation	: Category 2A
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H319 Causes serious eye irritation.
Precautionary statements	<ul> <li>Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.</li> <li>Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/</li> </ul>



Version 1.3

Revision Date 10/16/2018

Print Date 04/07/2022

attention.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	>= 30 - < 50
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	>= 30 - < 50
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 10 - < 20
graphite	7782-42-5	>= 5 - < 10
Silicon, amorphous	112945-52-5	>= 3 - < 5
aluminium	7429-90-5	>= 3 - < 5
Stoddard solvent	8052-41-3	>=1-<3
quartz (SiO2)	14808-60-7	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

# **SECTION 4. FIRST AID MEASURES**

General advice	Show this sa	dangerous area. afety data sheet to the doctor in attendance. the victim unattended.
lf inhaled	advice.	us, place in recovery position and seek medical persist, call a physician.
In case of skin contact	minutes. If on skin, rin	nediately with plenty of water for at least 15 use well with water. , remove clothes.
In case of eye contact	Remove con Protect unha Keep eye wid	
If swallowed	DO NOT ind physician or Never give a	tory tract clear. uce vomiting unless directed to do so by a poison control center. nything by mouth to an unconscious person. persist, call a physician.
Most important symptoms and effects, both acute and delayed	Symptoms m	nmediate and delayed. nay include irritation, redness, pain, and rash. ous eye irritation.



Version 1.3	Revision Date 10/16/2018	Print Date 04/07/2022		
	Review section 2 of SDS to see all	Review section 2 of SDS to see all potential hazards.		
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.		

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Water spray jet Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or wat courses.	ter
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	<ul> <li>Collect contaminated fire extinguishing water separately. T must not be discharged into drains.</li> <li>Fire residues and contaminated fire extinguishing water m be disposed of in accordance with local regulations.</li> </ul>	
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.	

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Do not breathe vapours or spray mist.
_		Avoid contact with skin and eyes.



Version 1.3	Revision Date 10/16/2018	Print Date 04/07/2022
	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.	
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed a kept upright to prevent leakage.</li> <li>Electrical installations / working materials must comply wit the technological safety standards.</li> <li>Observe label precautions.</li> </ul>	
Materials to avoid	: Oxidizing agents	

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
graphite	7782-42-5	TWA (Respirable)	2.5 mg/m3	NIOSH REL
		TWA (Dust)	15 Million particles per cubic foot	OSHA Z-3
Silicon, amorphous	112945-52-5	TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2	OSHA Z-3
		TWA	6 mg/m3	NIOSH REL
aluminium	7429-90-5	TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWÁ (respirable dust fraction)	5 mg/m3	OSHA PO
		TWA (Respirable	1 mg/m3	ACGIH



ersion 1.3	Revision	Revision Date 10/16/2018		Print Date 04/07/2022	
	I	fraction)			
Stoddard solvent	8052-41-3	TWA	100 ppm	ACGIH	
		TWA	350 mg/m3	NIOSH REL	
		С	1,800 mg/m3	NIOSH REL	
		TWA	500 ppm 2,900 mg/m3	OSHA Z-1	
		TWA	100 ppm 525 mg/m3	OSHA P0	
		PEL	100 ppm 525 mg/m3	CAL PEL	
quartz (SiO2)	14808-60-7	TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3	
		TWA (Respirable dust)	0.05 mg/m3	NIOSH REI	
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1	
		PEL (Respirable dust)	0.05 mg/m3	CAL PEL	

Engineering measures	ffective ventilation in all processing areas	
Personal protective equipme		
Respiratory protection	Use respiratory protection unless adequate local exh entilation is provided or exposure assessment demo hat exposures are within recommended exposure g	onstrates
Hand protection		
Material	Protective gloves	
Remarks	The suitability for a specific workplace should be discrition with the producers of the protective gloves.	cussed
Eye protection	Access to clean water to rinse eyes must be available include: eye wash stations or showers, or eye wash with pure water. Tightly fitting safety goggles Vear face-shield and protective suit for abnormal pro problems.	bottles
Skin and body protection	mpervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the wor	
Hygiene measures	Vhen using do not eat or drink. Vhen using do not smoke. Vash hands before breaks and at the end of workda	у.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



ersion 1.3	Revision Date 10/16/2018	Print Date 04/07/2022
Appearance	: gel	
Colour	: silver, metallic	
Odour	: oily	
Odour Threshold	: No data available	
рН	: Not applicable	
Melting point/freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 204.44 °C	
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: 12(Air = 1.0)	
Density	: 0.8 g/cm3	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: >1000 mm2/s (40 °C)	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)



Version 1.3

Revision Date 10/16/2018

Print Date 04/07/2022

## SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects	
Aggravated Medical Condition Symptoms of Overexposure	<ul> <li>None known.</li> <li>Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash.</li> </ul>
Carcinogenicity:	
IARC	Group 1: Carcinogenic to humans
ACGIH	quartz (SiO2)14808-60-7Confirmed animal carcinogen with unknown relevance tohumansSolvent naphtha (petroleum),64742-95-6
	light arom.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
Distillates (petroleum), hydr Acute oral toxicity	rotreated heavy naphthenic: : LD50 Rat: > 5,000 mg/kg
Acute inhalation toxicity	: LC50 Rat: > 5 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg
<b>Silicon, amorphous:</b> Acute oral toxicity	: LD50 Oral Rat: 3,160 mg/kg
aluminium: Acute oral toxicity	: LD50 Rat: > 15,900 mg/kg
Acute inhalation toxicity	: LC50 Rat: > 0.888 mg/l Exposure time: 4 h

# Skin corrosion/irritation



Revision Date 10/16/2018

Print Date 04/07/2022

## Product:

Remarks: May cause skin irritation and/or dermatitis.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Severe eye irritation

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

#### Product:

Carcinogenicity -Assessment : Not classifiable as a human carcinogen., Not classified due to product form (liquid) and classification route of entry (inhaled powder).

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

## STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### Further information

## Product:

Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential



Version 1.3	Revision Date 10/16/2018	Print Date 04/07/2022
Product:		
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environment; Stratospheric Ozone - CAA Sectior Substances	
Remarks	This product neither contains, nor w with a Class I or Class II ODS as de Clean Air Act Section 602 (40 CFR + B).	efined by the U.S.
Additional ecological information	: An environmental hazard cannot be event of unprofessional handling or aquatic life with long lasting effects	disposal., Harmful to

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

# SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL



Version 1.3

Revision Date 10/16/2018

Print Date 04/07/2022

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Serious eye damage or eye irritation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		
		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

# SAFETY DATA SHEET



# G00737 MST ANTI-SEIZE COMPOUND\_12CS8OZ

Version	1.3
10101	1.0

Revision Date 10/16/2018


Print Date 04/07/2022

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION



## **OSHA - GHS Label Information:**

Hazard pictograms	
Signal w ord Hazard statements Precautionary statements	<ul> <li>Warning:</li> <li>Causes serious eye irritation.</li> <li>Prevention: Wash skin thoroughly after handling. Wear eye protection/face protection.</li> <li>Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> </ul>

Version:	1.3
Revision Date:	10/16/2018
Print Date:	04/07/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

# SAFETY DATA SHEET



# G00737 MST ANTI-SEIZE COMPOUND\_12CS8OZ

Version 1.3

Revision Date 10/16/2018

Print Date 04/07/2022

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.