

# E-Brite Cleaner

## Safety Data Sheet

### SECTION 1: Product and company identification

Product name : E-Brite Cleaner  
Use of the substance/mixture : Cleaner  
Product code : 50018 SDS Number: 0104  
Company : Etterman Enterprises  
1913 West Hwy 12  
Wilmar, MN 56201 - USA  
T 800-852-7713  
Emergency number : 800-852-7713

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Met. Corr. 1 H290  
Eye Irrit. 2A H319  
Repr. 1B H360

Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Danger  
Hazard statements (GHS-US) : May be corrosive to metals  
Causes serious eye irritation  
May damage fertility or the unborn child  
Precautionary statements (GHS-US) : Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Keep only in original container  
Wash thoroughly after handling  
Wear eye protection, protective clothing, protective gloves  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If exposed or concerned: Get medical advice/attention  
If eye irritation persists: Get medical advice/attention  
Absorb spillage to prevent material damage  
Store locked up  
Store in corrosive resistant container with a resistant inner liner  
Dispose of contents/container to comply with local/regional/national/international regulations

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Organic acid salt mixture	(CAS No) HMIRA Reg Number 9207 Granted Date: 2014-08-20	10-20	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Repr. 1B, H360
Carbamide dihydrogen sulfate	(CAS No) 21351-39-3	3-8	Eye Irrit. 2A, H319
UNDECETH-5	(CAS No) 34398-01-1	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

# E-Brite Cleaner

## Safety Data Sheet

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Remove the victim into fresh air. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Rinse skin with water/shower.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : May damage fertility. May damage the unborn child.
- Symptoms/injuries after inhalation : None under normal use.
- Symptoms/injuries after skin contact : Contact during a long period may cause light irritation.
- Symptoms/injuries after eye contact : Causes serious eye irritation.
- Symptoms/injuries after ingestion : Gastrointestinal complaints.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

- Reactivity : Hydrogen gas may be released upon contact with certain metals at sustained temperatures about 140°F.

#### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Isolate from fire, if possible, without unnecessary risk.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Protective goggles. Gloves. Protective clothing.
- Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers.
- Methods for cleaning up : Absorb spillage to prevent material damage. This material and its container must be disposed of in a safe way, and as per local legislation.

#### 6.4. Reference to other sections

No additional information available

# E-Brite Cleaner

## Safety Data Sheet

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care.
- Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep container closed when not in use.
- Incompatible products : Strong bases. Oxidizing agent. reducing agents.
- Incompatible materials : Metals.
- Heat-ignition : heat sources.
- Storage area : Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.
- Special rules on packaging : meet the legal requirements. Keep only in original container.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

- Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Clear, colorless liquid.
- Odor : Mild odor
- Odor threshold : No data available
- pH : < 1
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : > 200 °F Estimated
- Relative evaporation rate (butyl acetate=1) : No data available
- Flammability (solid, gas) : No data available
- Explosion limits : No data available
- Explosive properties : No data available
- Oxidizing properties : No data available
- Vapor pressure : No data available
- Relative density : No data available
- Relative vapor density at 20 °C : No data available
- Specific gravity / density : 1.08 g/ml
- Solubility : Soluble in water.
- Log Pow : No data available
- Log Kow : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Viscosity : No data available

# E-Brite Cleaner

## Safety Data Sheet

Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available  
VOC content : < 0.5 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Hydrogen gas may be released upon contact with certain metals at sustained temperatures about 140°F.

#### 10.2. Chemical stability

Metal contact may cause Hydrogen release.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

Open flame. Overheating.

#### 10.5. Incompatible materials

May be corrosive to metals. Do not mix with metal powders. Avoid contact with oxidizers or reducing agents, alkalis, chlorates, nitrates. Contact with hypochlorites will liberate toxic gases.

#### 10.6. Hazardous decomposition products

Thermal decomposition may yield hydrofluoric acid and oxides of carbon, nitrogen, chlorine and sulfur. Hydrogen gas may be released upon contact with certain metals.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

##### UNDECETH-5 (34398-01-1)

LD50 oral rat	> 1400 mg/kg
---------------	--------------

##### Organic acid salt mixture (HMIRA Reg Number 9207 Granted Date: 2014-08-20)

LD50 oral rat	678.3 mg/kg
---------------	-------------

LD50 dermal rat	2109.4 mg/kg
-----------------	--------------

Skin corrosion/irritation : Not classified

pH: < 1

Serious eye damage/irritation : Causes serious eye irritation.

pH: < 1

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child.

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : None under normal use.

Symptoms/injuries after skin contact : Contact during a long period may cause light irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Gastrointestinal complaints.

Likely routes of exposure : Skin and eyes contact

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### UNDECETH-5 (34398-01-1)

LC50 fish 1	< 10 mg/l
-------------	-----------

EC50 Daphnia 1	< 10 mg/l
----------------	-----------

ErC50 (algae)	< 10 mg/l
---------------	-----------

#### 12.2. Persistence and degradability

No additional information available

# E-Brite Cleaner

## Safety Data Sheet

### 12.3. Bioaccumulative potential

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

Department of Transportation (DOT)

### Additional information

Other information : When transported by ground, this product utilizes the exemption found under 49 CFR 173.154.

### ADR

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

## SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### UNDECETH-5 (34398-01-1)

SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
-------------------------------------	---------------------------------

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

## SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

H290	May be corrosive to metals
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H360	May damage fertility or the unborn child

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.*